

Fig.	Basic Part No.	Inductance ( $\mu\text{H}$ )		Colour Code		"Q" at L Min.	"Q" at L Max.	Test Frequency (MHz)	DCR Max. ( $\Omega$ )	DC Max. (mA)	SRF Min. (MHz)	
		Min.	Max.	A	B							
2	556-7105	-38	34.2	37.8	Orange	Grey	55	60	2.5	3.00	48	10.0
		-39	37.1	40.9	Orange	White	55	60	2.5	3.20	48	10.0
		-40	40.8	45.2	Yellow	Black	55	60	2.5	3.40	48	9.50
		-41	44.6	48.5	Yellow	Brown	55	60	2.5	3.50	48	9.50
		-42	48.5	53.5	Yellow	Red	55	60	2.5	3.65	48	9.00
		-43	53.2	58.8	Yellow	Orange	55	60	2.5	4.00	48	9.00
		-44	58.9	65.1	Yellow	Yellow	55	60	2.5	4.20	48	8.50
		-45	64.6	71.4	Yellow	Green	55	60	2.5	4.30	48	8.50
		-46	70.3	77.7	Yellow	Blue	55	60	2.5	4.50	48	8.00
		-47	77.7	86.5	Yellow	Violet	55	60	2.5	4.80	48	8.00
		-48	86.5	95.5	Yellow	Grey	50	55	2.5	5.00	48	7.50
		-49	95.0	105	Yellow	White	50	55	2.5	5.20	48	7.00
		-50	105	115	Green	Black	50	55	0.79	5.70	48	6.50
		-51	114	126	Green	Brown	50	55	0.79	6.30	48	6.00
		-52	123	140	Green	Red	50	55	0.79	6.60	48	5.50
		-53	140	158	Green	Orange	55	65	0.79	7.10	48	5.50
		-54	152	171	Green	Yellow	55	65	0.79	7.50	48	5.00
		-55	171	189	Green	Green	55	65	0.79	8.00	48	5.00
		-56	189	210	Green	Blue	60	70	0.79	8.40	48	5.00
		-57	209	231	Green	Violet	60	70	0.79	8.70	48	4.50
		-58	228	254	Green	Grey	60	70	0.79	9.10	48	4.50
		-59	254	283	Green	White	40	45	0.79	9.50	64	5.50
		-60	283	315	Blue	Black	40	45	0.79	10.7	64	5.00
		-61	314	345	Blue	Brown	40	45	0.79	11.5	64	4.50
		-62	342	378	Blue	Red	40	45	0.79	13.8	49	4.50
		-63	371	409	Blue	Orange	40	45	0.79	15.0	49	4.00
		-64	408	452	Blue	Yellow	40	45	0.79	16.0	49	4.00
		-65	452	494	Blue	Green	40	45	0.79	16.8	49	3.50
		-66	485	535	Blue	Blue	40	45	0.79	17.5	49	3.50
		-67	532	588	Blue	Violet	40	45	0.79	18.0	49	3.00
		-68	589	651	Blue	Grey	40	45	0.79	23.0	38	3.00
		-69	646	714	Blue	White	40	45	0.79	24.0	38	3.00
		-70	703	777	Violet	Black	40	45	0.79	25.0	38	3.00
		-71	777	865	Violet	Brown	45	50	0.79	33.0	31	2.50
		-72	865	955	Violet	Red	45	50	0.79	34.0	31	2.00
		-73	950	1050	Violet	Orange	45	50	0.79	35.0	31	2.00